



Sazan Sang Salar



www.salarsang.com




- **SAZAN SANG SALAR, since 1999, is a global professional manufacturer of Terrazzo and industrial stone, consisting of more than 85% natural stone with vibro compaction under vacuum technology licensed by BRETON Spa of Italy, with 3 million sq m annual production capacity.**
- **Product Specifications:**
 - **Industrial stone & Terrazzo (Washed concrete pavers):**
 - **Beautiful and unique texture**
 - **Monolayer and full body tile**
 - **Resistance to deep abrasion**
 - **Resistance to freeze**
 - **Stain and UV resistance**
 - **Low water absorption ($\leq 0.5\%$)**
 - **Resistance to fire (class 0)**
 - **Specific weight ~ 2.50**
 - **Compressive strength ~ 103 (N/mm²)**
- **All above mentioned characteristics, make it as one of the best choices for using in outdoor and indoor areas such as, landscape projects, pavements, parking, roof gardens, industrial floor, facades.**
- **Attractive and eye-catching textures, colors, physical and technical details make SALAR tile the ideal choice for builders, designers and consultants.**



SLIP RATING SCHEDULE

Aggregate	Finish	Wet pendulum	Oil ramp	Wet barefoot
TERRAZZO	polished	Z	R9	N/A
	Hond	W*	R10*	B*
	Sandblasted	Z	R13	C
MARBLE	polished	Y	-	N/A
	Hond	W	R9	B*
	Sandblasted	V	R12	C
RIVERSTONE	polished	Z	-	N/A
	Hond	W	R9	B*
	Sandblasted	V	R13	C


BINDER	PORTLAND CEMENT TYPE	W/C=0.32
Aggregate	Marble	Standard
Max. Dimension Of Aggregate(mm)	12	Applied
Specific Weight	~2.50	UNI-10444
Flexural Strength (N.mm ²)	9	UNI-6133
Compressive Strength (N.mm ²)	103	DIN-52105
Resistance To Deep Abrasion (mm ³)	14.9	UNI-10532
Water Absorption (% by weight)	0.66	UNI-10444
Surface Water Absorption (%)	0.04	UNI-10444
Resistance To Fire	Class 0	DIN-52104
Resistance To Freeze/Thaw	Resistant	




WW6030




WW6020



WW7020



WY6040



WK9050



WK8020




WW5020



WW5020B



WW3010



WWBC1166



BM2-6WB2800



WWY5040



EXPOSE YB12.5B



EXPOSE YB12.5



EXPOSE 952



EXPOSE R140




EXPOSE 952G265



EXPOSE YB933




K06W




BM2-6W



MWYB12.5



952RB1633



952



BM2-6WB2800



SALAR



SALAR



SALAR



SALAR

pierre cardin

PARIS





SALAR







SALAR



SALAR





SALAR



SALAR



SALAR



 **Washbeton.salar.ir**

 **+982188500500**

 **+989392274500**